

Applied Hierarchical Modeling for Effective Monitoring and Conservation of Marine Megafauna: Sampling Design, Model Development and Inference (CO04303)

Due to Covid 19, the education and assessment methods may vary from the information displayed in the schedules and course details. Any changes will be communicated on Ufora.

Course size	<i>(nominal values; actual values may depend on programme)</i>		
Credits 4.0	Study time 100 h	Contact hrs	30.0h

Course offerings in academic year 2021-2022

A (semester 1)	English	Gent
----------------	---------	------

Lecturers in academic year 2021-2022

Cam, Emmanuelle	BREST02	lecturer-in-charge
Authier, Matthieu	BREST02	co-lecturer

Offered in the following programmes in 2021-2022

	crdts	offering
International Master of Science in Marine Biological Resources	4	A

Teaching languages

English

Keywords

Position of the course

Contents

A broad range of marine species have been dubbed marine megafauna, however providing a precise definition of this term is difficult. It is not a taxonomically defined group, as it includes sea mammals, birds, reptiles, large fish and elasmobranchs. Marine megafauna species are large vertebrates that depend on marine resources for their food. These mobile species are generally at the top of their trophic food webs and have none or few predators. From the tiny storm-petrel to the gigantic blue whale, this group is biologically diverse and brings together species which cannot be strictly defined by morphological or physiological similarities. Rather, our perception of marine megafauna as a coherent group is based on ecological similarities and shared conservation issues. These species are exposed to a myriad of threats and generally show limited resilience due to their intrinsic life history traits such as low fecundity rates and high longevity, which often limit the capacity of collapsed populations to quickly recover. Consequently, they share common conservation challenges [1, 2], and their current conservation status often results from pressures of the last century cumulated with current pressures [3, 4].

Beyond species themselves, marine megafauna are a key element of many marine conservation strategies. Including some of the most charismatic marine species, large marine vertebrates are generally used as flagships to mobilize society at large on conservation issues. Moreover, they can function as umbrella species due to their large home ranges and high trophic level. Indeed, conservation measures focusing upon marine megafauna often benefit lower trophic level species, positively impacting marine habitat protection [1]. They also have the potential to act as sentinel species and inform the ecological status of other less visible compartments of marine ecosystems [5, 6]. Focusing on marine megafauna as target of conservation strategies is thus rational and ecologically motivated.

However, despite their large body size, marine megafauna can be very elusive, undermining our abilities to document crucial parameters for effective conservation such as population sizes (abundance), distribution, vital rates (fecundity, survival or mortality) etc...

The presence or absence of a species across a set of spatial units is a fundamental concept in ecology, conservation biology and wildlife management (e.g., species range or distribution changes, habitat use, resource selection functions). An important sampling issue, however, is that a species may not always be detected when present at a spatial unit. Unaccounted for,

'false absences' can lead to misleading inferences about patterns and dynamics of species occurrence, and the factors that influence them [7]. Similarly, abundance and population vital rates (mortality, breeding frequency, dispersal among habitat 'patches' or suitable areas) are fundamental quantities required to address questions about population dynamics and assess its 'health' state. In this context, imperfect detectability of individuals during sampling sessions can also plague inferences about patterns and processes underlying population dynamics [8]. This course will cover the design of sampling protocols and the modeling of species occurrence and population processes in marine megafauna in classical situations where the detectability of species or individuals is less than one, with a particular emphasis on marine mammals and seabirds. The course will address the estimation of quantities needed in the modeling effort, and the application of these estimates and models to monitoring and conservation problems. Students will be introduced to the models through worked examples, with a particular emphasis on state-of-the-art inference techniques in the Bayesian framework. The main software that will be used is R (to handle data) and JAGS (to fit models to real-life datasets and estimate parameters of interests). All models that will be detailed fall under the umbrella of 'hierarchical models' with latent parameters [9]. The conceptual and philosophical foundations of such models will be briefly detailed to enable users to build a subsequent in-depth understanding with regular practice.

Initial competences

- some knowledge of R (loading a dataset, subsetting a dataset, writing a loop for repetitive tasks, etc.)
- some knowledge of linear models (the Gaussian distribution, residuals), and possibly of generalized linear models
- some mathematical literacy, meaning a willingness to read equations and to take the time necessary to understand them (the appropriate software will take care of the actual implementation but it can't guess the user's intent)

Final competences

- 1 Students will know how to set up a sampling design that is appropriate for an ecological or conservation question.
- 2 Students will know how to format data for ecological analyses, and how to design reproducible analyses.
- 3 Students will know what is a model (aka the data-generating mechanism) in ecology; what are the sampling process and the ecological process of interest; how to set up a model that reflect both fieldwork and nature to obtain accurate inferences.
- 4 Students will know how to relate modeling with conservation-relevant quantities such as abundance, distribution, vital rates and their change over space and time.

Conditions for credit contract

Access to this course unit via a credit contract is determined after successful competences assessment

Conditions for exam contract

This course unit cannot be taken via an exam contract

Teaching methods

Lecture, Seminar: practical pc room classes

Extra information on the teaching methods

Short formal lectures will alternate with exercises. Lectures: 15h; practicals in computer rooms: 15h.

Learning materials and price

References

- [1] Hooker, S. K., Gerber, L. R. 2004. Marine Reserves as a Tool for Ecosystem-Based Management: the Potential Importance of Megafauna. *BioScience* 54, 27-39
- [2] Lascelles, B., Notarbartolo Di Sciara, G., Agardy, T., Cuttelod, A., Eckert, S., Glowka, L., Hoyt, E., Llewellyn, F., Louzao, M., Ridoux, V., Tetley, M.J. 2014. Migratory marine species: their status threats and conservation management needs. *Aquatic Conservation: Marine and Freshwater Ecosystems* 24, 111-127
- [3] Baker, S.C., Clapham P.J. 2004. Modelling the past and future of whales and whaling. *Trends in Ecology & Evolution* 19, 365-371
- [4] Lotze, H.K., Coll, M., Magera, A.M., Ward-Paige, C., Airoldi, L. 2011. Recovery of marine

- animal populations and ecosystems. *Trends in Ecology & Evolution* 26, 595–605
- [5] Simberloff, D. 1998. Flagships umbrellas and keystones: is single-species management passé in the landscape era? *Biological Conservation* 83, 247–257
 - [6] Zacharias, M.A., Roff, J.C., 2001. Use of focal species in marine conservation and management: a review and critique. *Aquatic Conservation: Marine and Freshwater Ecosystems* 11, 59–76
 - [7] MacKenzie, D. I., Nichols J. D., Royle J. A.; Pollock, K. H, Bailey L., Hines J. E. 2017 *Occupancy estimation and modeling 2nd edition: inferring patterns and dynamics of species occurrence*. Academic Press.
 - [8] Amstrup, S. C., McDonald, T. L., Manly, B. F. (Eds.). 2010. *Handbook of capture-recapture analysis*. Princeton University Press.
 - [9] Royle, J. A., Dorazio, R. M. 2008. *Hierarchical modeling and inference in ecology: the analysis of data from populations, metapopulations and communities*. Elsevier.

Course content-related study coaching

Assessment moments

continuous assessment

Examination methods in case of periodic assessment during the first examination period

Examination methods in case of periodic assessment during the second examination period

Examination methods in case of permanent assessment

Report

Possibilities of retake in case of permanent assessment

examination during the second examination period is possible

Calculation of the examination mark